# SEARCH REQUEST FORM

# Scientific and Technical Information Center

Lexis/Nexis\_

Sequence Systems

WWW/Internet

Other (specify)\_

Litigation

Patent Family

Fulltext

Other

PTO-1590 (8-01)

Clerical Prep Time:

Online Time: \_

Searcher Prep & Review Time: \_\_\_\_

Carlo Carlo

Application No. 10/758,869

26. (Original) A charge transport material having the formula

$$E_2$$
  $X_2 - Y_2 - Z - Y_1 - X_1$ 

where Y<sub>1</sub> and Y<sub>2</sub> comprise, each independently, a carbazolyl group;

X<sub>1</sub> and X<sub>2</sub>, each independently, have the formula -(CH<sub>2</sub>)<sub>m</sub>-, branched or linear, where m is an integer between 0 and 20, inclusive, and one or more of the methylene groups is optionally replaced by O, S, N, C, B, P, C=O, O=S=O, a heterocyclic group, an aromatic group, urethane, urea, an ester group, an amide group, an NR<sub>3</sub> group, a CR<sub>4</sub>, or a CR<sub>5</sub>R<sub>6</sub> group where R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, and R<sub>5</sub> are, independently, a bond, H, hydroxyl, thiol, carboxyl, an amino group, an alkyl group, an alkenyl group, a heterocyclic group, an aromatic group, or part of a ring;

E1 and E2 comprise, each independently, an epoxy group; and

Z is a linking group comprising a bond, a –(CR<sub>5</sub>=CR<sub>6</sub>-)<sub>n</sub>- group, a -CR<sub>7</sub>=N- group, or an aromatic group, where R<sub>5</sub>, R<sub>6</sub>, and R<sub>7</sub> are, each independently, H, an alkyl group, an alkenyl group, a heterocyclic group, or an aromatic group, and n is an integer between 1 and 10, inclusive.

- 27. (Original) A charge transport material according to claim 26 wherein Z is a bond.
- 28. (Original) A charge transport material according to claim 26 wherein X<sub>1</sub> and X<sub>2</sub> are, each independently, a methylene group.
- 29. (Original) A charge transport material according to claim 26 wherein E<sub>1</sub> and E<sub>2</sub> are, each independently, an oxiranyl ring.
- 30. (Original) A charge transport material according to claim 26 wherein the charge transport material is selected from the group consisting of the following formula:

Application No. 10/758,869

where R<sub>8</sub> and R<sub>9</sub> are, each independently, H, hydroxyl, thiol, carboxyl, -CHO, a keto group, an amino group, cyano, nitro, a halogen, an alkoxyl group, an alkyl group, an alkenyl group, an epoxy group, a thiiranyl group, an aziridino group, a heterocyclic group, or an aromatic group.

31. - 41. (Cancelled).

#### => FILE REG

FILE 'REGISTRY' ENTERED AT 10:33:04 ON 11 MAY 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2007 American Chemical Society (ACS)

#### => D HIS

```
FILE 'LREGISTRY' ENTERED AT 10:27:18 ON 11 MAY 2007
               E CARBAZOLE/CN
              1 S E3
L1
L2
              2 S 2 1839.22.20/RID
              2 S 1<RID.CNT (T) 1839.22.20/RID
L3
              E OXIRANE/CN
              1 S E3
L4
L5
            140 S 1<RID.CNT (T) 1.30.1/RID
     FILE 'REGISTRY' ENTERED AT 10:29:58 ON 11 MAY 2007
           5885 S L3
L6
L7
          35289 S L5
             12 S L6 AND L7
L8
     FILE 'CAOLD' ENTERED AT 10:32:14 ON 11 MAY 2007
              0 S L8
L9
     FILE 'ZCAPLUS' ENTERED AT 10:32:23 ON 11 MAY 2007
L10
              7 S L8
```

# => FILE ZCAPLUS FILE 'ZCAPLUS' ENTERED AT 10:33:11 ON 11 MAY 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

#### => D L10 1-7 CBIB ABS HITSTR HITRN

L10 ANSWER 1 OF 7 ZCAPLUS COPYRIGHT 2007 ACS on STN
2007:121403 Document No. 146:359433 Synthesis and cationic photocuring of new carbazole monomers. Lengvinaite, S.; Sangermano, M.;
Malucelli, G.; Priola, A.; Grigalevicius, S.; Grazulevicius, J. V.;
Getautis, V. (Dipartimento di Scienza dei Materiali e Ingegneria Chimica, Politecnico di Torino, Turin, I-10129, Italy). European

Polymer Journal, 43(2), 380-387 (English) 2007. CODEN: EUPJAG. ISSN: 0014-3057. Publisher: Elsevier Ltd..

AB New carbazole monomers were synthesized and their cationic photopolymn. investigated. The monomers contain in each mol. two pendant carbazole groups and two functional groups reactive towards cationic photopolymn. The investigated reactive groups were epoxy, oxetane or vinyl ether. Each type of monomer contains a spacer group namely ethylene oxide segment. The UV curing kinetics of the different monomers was monitored by real time FT-IR (RT-FTIR) anal. and the thermal properties evaluated by DSC.

# IT 930604-97-0P 930604-99-2P 930605-01-9P

(monomer; synthesis and cationic photocuring of carbazole
monomers)

RN 930604-97-0 ZCAPLUS

CN 9H-Carbazole, 9,9'-[2-[2-(2-oxiranylmethoxy)-3-[2-(2-oxiranylmethoxy)ethoxy]propoxy]-1,3-propanediyl]bis- (CA INDEX NAME)

RN 930604-99-2 ZCAPLUS
CN 9H-Carbazole, 9,9'-[2-[2-(2-oxiranylmethoxy)-3-[2-[2-(2-oxiranylmethoxy)ethoxy]ethoxy]propoxy]-1,3-propanediyl]bis- (CA INDEX NAME)

RN 930605-01-9 ZCAPLUS CN INDEX NAME NOT YET ASSIGNED

# IT 930605-11-1P 930605-13-3P 930605-15-5P

(synthesis and cationic photocuring of carbazole monomers)

RN 930605-11-1 ZCAPLUS

CN 9H-Carbazole, 9,9'-[2-[2-(2-oxiranylmethoxy)-3-[2-(2-oxiranylmethoxy)ethoxy]propoxy]-1,3-propanediyl]bis-, homopolymer (CA INDEX NAME)

CM 1

CRN 930604-97-0 CMF C38 H40 N2 O6

PAGE 1-A

PAGE 2-A

RN 930605-13-3 ZCAPLUS

CN 9H-Carbazole, 9,9'-[2-[2-(2-oxiranylmethoxy)-3-[2-[2-(2-oxiranylmethoxy)ethoxy]ethoxy]propoxy]-1,3-propanediyl]bis-, homopolymer (CA INDEX NAME)

CM 1

CRN 930604-99-2 CMF C40 H44 N2 O7

PAGE 1-A

PAGE 2-A

CH<sub>2</sub>
O
CH<sub>2</sub>

RN 930605-15-5 ZCAPLUS

ON 9H-Carbazole, 9,9'-[2-[[17-(2-oxiranyl)-2-(2-oxiranylmethoxy)-4,7,10,13,16-pentaoxaheptadec-1-yl]oxy]-1,3-propanediyl]bis-, homopolymer (CA INDEX NAME)

CM 1

CRN 930605-01-9 CMF C44 H52 N2 O9

IT 930604-97-0P 930604-99-2P 930605-01-9P

(monomer; synthesis and cationic photocuring of carbazole
monomers)

IT 930605-11-1P 930605-13-3P 930605-15-5P

(synthesis and cationic photocuring of carbazole monomers)

L10 ANSWER 2 OF 7 ZCAPLUS COPYRIGHT 2007 ACS on STN 2006:13917 Document No. 144:117731 Polymeric charge transport materials having repeating units comprising an aromatic group and a -s- linkage. Jubran, Nusrallah; Tokarski, Zbigniew; Gaidelis, Valentas; Getautis, Vytautas; Malinauskas, Tadas; Montrimas, Edmundas; Law, Kam W. (USA). U.S. Pat. Appl. Publ. US 2006003241 A1 20060105, 29 pp. (English). CODEN: USXXCO. APPLICATION: US 2004-883453 20040701.

GT

$$\begin{bmatrix} X^1 & X^2 & S \\ R^1Q^1 & R^2Q^2 \end{bmatrix}$$

Ι

AB Improved organo photoreceptor comprises an elec. conductive substrate and a photoconductive element on the elec. conductive substrate, the photoconductive element comprising: (a) a polymeric charge transport material having the formula I (n = 1-100,000 with an av. value of greater than one; Y = arom. group; X1 and X2 = a bond or a linking group; Q1 and Q2 = O, S, or NR; and R, R1, and R2 = H, alkyl group, alkenyl group, alkynyl group, acyl group, heterocyclic group, arom. group); and (b) a charge generating compd. Corresponding electrophotog. apparatuses, imaging methods, and methods of prepg. the polymeric charge transport material are described.

#### IT 857058-33-4P

(prepn. of polymeric charge transport materials for electrophotog photoreceptors)

RN 857058-33-4 ZCAPLUS

CN 3,3'-Bi-9H-carbazole, 9,9'-bis(oxiranylmethyl)- (9CI) (CA INDEX NAME)

#### IT **872552-33-5P**

(prepn. of polymeric charge transport materials for electrophotog photoreceptors)

RN 872552-33-5 ZCAPLUS

CN Ethanethioamide, polymer with 9,9'-bis(oxiranylmethyl)-3,3'-bi-9H-carbazole (9CI) (CA INDEX NAME)

CM 1

CRN 857058-33-4 CMF C30 H24 N2 O2

CM 2

CRN 62-55-5 CMF C2 H5 N S

IT 857058-33-4P

(prepn. of polymeric charge transport materials for electrophotog photoreceptors)

IT 872552-33-5P

(prepn. of polymeric charge transport materials for electrophotog photoreceptors)

L10 ANSWER 3 OF 7 ZCAPLUS COPYRIGHT 2007 ACS on STN
2005:954089 Document No. 143:257010 Organophotoreceptor with charge transport compositions. Tokarski, Zbigniew; Montrimas, Edmundas; Grazulevicius, Juozas Vidas; Jubran, Nusrallah; Malinauskas, Tadas; Gaidelis, Valentas; Getautis, Vytautas (Samsung Electronics Co., Ltd., S. Korea). Eur. Pat. Appl. EP 1569040 A2 20050831, 36 pp. DESIGNATED STATES: R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, BA, HR, IS, YU. (English). CODEN: EPXXDW. APPLICATION: EP 2005-251084 20050224. PRIORITY: US 2004-789077 20040227.

Ι

The present invention provides organo photoreceptors comprising an elec. conductive substrate and photoconductive element on the elec. conductive substrate, the photoconductive element having (a) a charge transport compn. with the formula I (Y1 and Y2 = arylamine group; X1 and X2 = linking group; R1 and R2 = hydrogen, alkyl group, alkenyl group, heterocyclic group, arom. group; Z is a bridging group; and n = integers between 1 and 100,000 with an av. value greater than 1); and (b) a charge generating compd. Corresponding electrophotog. apparatuses and imaging methods (processes) are described, as are charge transport compns.

IT 863396-32-1P 863396-34-3P

(charge transport compns. for organo photoreceptor)

RN 863396-32-1 ZCAPLUS

9H-Carbazole-3-carboxaldehyde, 9-ethyl-, (sulfonyldi-4,1-phenylene)bis[(oxiranylmethyl)hydrazone], polymer with 4,4'-thiobis[benzenethiol] (9CI) (CA INDEX NAME)

CM 1

CN

CRN 857049-31-1 CMF C48 H44 N6 O4 S

PAGE 1-A

PAGE 1-B

CM 2

CRN 19362-77-7 CMF C12 H10 S3

RN 863396-34-3 ZCAPLUS

CN 9H-Carbazole-3-carboxaldehyde, 9-ethyl-, (sulfonyldi-4,1-phenylene)bis[(oxiranylmethyl)hydrazone], polymer with 1,3,4-thiadiazolidine-2,5-dithione (9CI) (CA INDEX NAME)

CM 1

CRN 857049-31-1

CMF C48 H44 N6 O4 S

PAGE 1-A

$$\begin{array}{c|c} CH & N-N & CH \\ \hline \\ CH_2 & N-N & CH \\ \hline \\ CH_2 & CH \\ \hline \end{array}$$

PAGE 1-B

CM 2

CRN 1072-71-5 CMF C2 H2 N2 S3

# IT 863396-32-1P 863396-34-3P

(charge transport compns. for organo photoreceptor)

L10 ANSWER 4 OF 7 ZCAPLUS COPYRIGHT 2007 ACS on STN

- 2005:922373 Document No. 145:17705 Novel hydrazone and azine based hole transport materials.— Tokarski, Zbig; Moudry, Ron; Jubran, Nusrallah; Getautis, Vytautas; Jankauskas, Vygintas; Daskeviciene, Maryte; Montrimas, Edmundas (Digital Printing Solutions Laboratory, Samsung Information Systems America, Woodbury, MN, USA). IS&T's NIP20: International Conference on Digital Printing Technologies, Final Program and Proceedings, Salt Lake City, UT, United States, Oct. 31-Nov. 5, 2004, 547-551. Society for Imaging Science and Technology: Springfield, Va. ISBN: 0-89208-253-4 (English) 2004. CODEN: 69HEBH. OTHER SOURCES: CASREACT 145:17705.
- Thirteen novel hole transport materials were prepd. in our labs AΒ either as polymeric structures (Compds. (1) - (7)) or as dimeric structures (Compds. (8)-(13)) and several were evaluated for electrophotog. These hole transport materials contain either hydrazone or azine moieties as part of the electrophotog. functional chromophore. The chem. structure of these compds. was confirmed by proton NMR, IR and UV spectroscopy. The ionization potential and hole mobility (detd. via a xerog. time of flight method) are reported for some of these compds. The presence of hydroxyl groups on some of these materials improves adhesion and compatibility with traditional polycarbonate (PC) and polyvinylbutyral (PVB) binder In addn., these dimeric or polymeric hole TM can be chem. cross-linked in the photo-conductive layer, for example, by reaction of the hydroxyl groups with polyisocyanates, to increase the layer stability to bending, stretching and abrasion, as well as the effects of abrasion. The synthesized TM and compns. with binder exhibit good hole transporting properties and high mobility making them useful for prepn. of high sensitivity electro-photog. photoconductors.

#### IT 863396-32-1P 863396-34-3P

(prepn. of novel hydrazone and azine based hole transport materials)

RN 863396-32-1 ZCAPLUS

CN 9H-Carbazole-3-carboxaldehyde, 9-ethyl-, (sulfonyldi-4,1-phenylene)bis[(oxiranylmethyl)hydrazone], polymer with 4,4'-thiobis[benzenethiol] (9CI) (CA INDEX NAME)

CM 1

CRN 857049-31-1 CMF C48 H44 N6 O4 S

PAGE 1-A

$$\begin{array}{c|c} & & & & \\ & & & \\ \hline \\ & & \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\ & & \\ \hline \\ & & \\ \\$$

PAGE 1-B

CM 2

CRN 19362-77-7 CMF C12 H10 S3

RN 863396-34-3 ZCAPLUS

CN 9H-Carbazole-3-carboxaldehyde, 9-ethyl-, (sulfonyldi-4,1-phenylene)bis[(oxiranylmethyl)hydrazone], polymer with 1,3,4-thiadiazolidine-2,5-dithione (9CI) (CA INDEX NAME)

CM 1

CRN 857049-31-1

CMF C48 H44 N6 O4 S

PAGE 1-A

$$\begin{array}{c|c} & & & & \\ & & & \\ \hline \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ \end{array}$$

PAGE 1-B

CM 2

CRN 1072-71-5 CMF C2 H2 N2 S3

# IT 863396-32-1P 863396-34-3P

(prepn. of novel hydrazone and azine based hole transport materials)

L10 ANSWER 5 OF 7 ZCAPLUS COPYRIGHT 2007 ACS on STN

2005:632143 Document No. 143:142680 Organophotoreceptor with a charge
 transport material having two epoxidated-carbazolyl groups. Jubran,
 Nusrallah; Tokarski, Zbigniew; Montrimas, Edmundas; Sidaravicius,
 Jonas; Malinauskas, Tadas; Getautis, Vytautas (Samsung-Electronics
 Co., Ltd., S. Korea). Eur. Pat. Appl. EP 1555577 A2 20050720, 23
 pp. DESIGNATED STATES: R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT,
 LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG,
 CZ, EE, HU, PL, SK, BA, HR, IS, YU. (English). CODEN: EPXXDW.
 APPLICATION: EP 2005-250151 20050113. PRIORITY: US 2004-2004/758869
 20040116.

The present invention provides organo photoreceptors comprising an elec. conductive substrate and a photoconductive element on the elec. conductive substrate, the photoconductive element comprising:

(a) a charge transport material E2X2Y2ZY1X1E1 (Y1, Y2 = carbazolyl group; X1,2 = bridging group; E1,2 = epoxy group; and Z = linking group); and (b) a charge generating compd. Organophotoreceptors with the charge transport material crosslinked to a polymeric binder are also described. Corresponding electrophotog. apparatuses and imaging methods (processes) are described, as are corresponding charge transport materials.

IT 857058-33-4P

(charge transport material for organo photoreceptor)

RN 857058-33-4 ZCAPLUS

CN 3,3'-Bi-9H-carbazole, 9,9'-bis(oxiranylmethyl)- (9CI) (CA INDEX NAME)

IT 858932-95-3P

(charge transport material for organo photoreceptor)

RN 858932-95-3 ZCAPLUS

CN 3,3'-Bi-9H-carbazole, 6,6'-dichloro-9,9'-bis(oxiranylmethyl)- (9CI) (CA INDEX NAME)

IT 857058-33-4P

(charge transport material for organo photoreceptor)

IT 858932-95-3P

(charge transport material for organo photoreceptor)

L10 ANSWER 6 OF 7 ZCAPLUS COPYRIGHT 2007 ACS on STN

2005:582539 Document No. 143:106306 Organo photoreceptor with a charge transport material having two epoxide-hydrazone groups. Jubran, Nusrallah; Malinauskas, Tadas; Gaidelis, Valentas; Jankauskas, Vygintas; Tokarski, Zbigniew; Getautis, Vytautas (Samsung Electronics Co., Ltd., S. Korea). Eur. Pat. Appl. EP 1550914 A1 20050706, 25 pp. DESIGNATED STATES: R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR, IS, YU. (English). CODEN: EPXXDW. APPLICATION: EP 2004-257404 20041130. PRIORITY: US 2003-2003/749269 20031231.

GI

Ι

The present invention provides organo photoreceptors comprising an elec. conductive substrate and. a photoconductive element on the elec. conductive substrate, the photoconductive element comprising:

(a) a charge transport material having the formula I (Y1 and Y2 = arylamine group; R1,2 = H, alkyl group, alkenyl group, heterocyclic group, arom. group; X1 and X2, = bridging groups; E1 and E2 = epoxy

group; and Z is a linking group comprising an alkyl group, an alkenyl group, a heterocyclic group, or an arom. group); and (b) a charge generating compd. The charge transport materials can be crosslinked to a polymeric binder, either directly or through a crosslinking agent. Corresponding electrophotog. apparatuses and imaging methods (processes) are described, as are corresponding charge transport materials.

#### IT 857049-31-1P

(charge transport material for organo photoreceptor)

RN 857049-31-1 ZCAPLUS

CN 9H-Carbazole-3-carboxaldehyde, 9-ethyl-, (sulfonyldi-4,1-phenylene)bis[(oxiranylmethyl)hydrazone] (9CI) (CA INDEX NAME)

PAGE 1-A

$$\begin{array}{c|c} CH & N-N & CH \\ \hline \\ CH_2 & N-N & CH \\ \hline \\ Et & O \end{array}$$

PAGE 1-B

#### IT 857049-31-1P

(charge transport material for organo photoreceptor)

L10 ANSWER 7 OF 7 ZCAPLUS COPYRIGHT 2007 ACS on STN
2005:582538 Document No. 143:106305 Organophotoreceptor with charge
transport material having a thiiranyl group. Tokarski, Zbigniew;
Montrimas, Edmundas; Jubran, Nusrallah; Paliulis, Osvaldas;
Gaidelis, Valentas; Getautis, Vytautas (Samsung Electronics Co.,

Ltd., S. Korea). Eur. Pat. Appl. EP 1550913 A1 20050706, 33 pp. DESIGNATED STATES: R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR, IS, YU. (English). CODEN: EPXXDW. APPLICATION: EP 2004-257403 20041130. PRIORITY: US 2003-2003/749178 20031230.

GI

$$T^2$$
  $Y^2$   $Y^1$   $T^1$   $Y^2$   $Y^1$   $Y^1$   $Y^1$   $Y^1$ 

The present invention provides organo photoreceptors comprising a photoconductive element comprising: (a) a charge transport material having the formula I (Y1 and Y2 = a bond, -CR1=N-NR2-, or -CR3=N-N=CR4-; R1-4 = H, alkyl group, alkenyl group, heterocyclic group, arom. group; X1 and X2 = linking group; T1 and T2 = thiiranyl group, H, alkyl group, alkenyl group, arom. group with the proviso that at least one of T1 and T2 is a thiiranyl group; and Ar comprises an arom. group with the proviso that when both Y1 and Y2 are a bond and one of T1 and T2 is not a thiiranyl group, Ar comprises a bis[(N,N-disubstituted)amino]arom. group or a bicarbazole group); and (b) a charge generating compd. Corresponding electrophotog. apparatuses and imaging methods (processes) are described, as are corresponding charge transport materials.

#### IT 857058-33-4P

(prepn. of charge transport material having thiiranyl group for organo photoreceptor)

RN 857058-33-4 ZCAPLUS

CN 3,3'-Bi-9H-carbazole, 9,9'-bis(oxiranylmethyl)- (9CI) (CA INDEX NAME)

# IT 857058-33-4P

(prepn. of charge transport material having thiiranyl group for organo photoreceptor)